


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Old Colony
CANCELS ALL PREVIOUS LISTS.

FALL 1902 TRADE LIST.

1840 Old Colony Nursery, 1902

T. R. Watson,
Plymouth, Massachusetts.

Prices of this list net, and subject to stock not being sold.

TERMS.—Cash with order or satisfactory reference, except where parties are known. Bills of regular customers become due June 1st for Spring shipments; January 1st for Fall shipments. Packing: boxes from 10 cents to 50 cents; bales from 50 cents to \$1.00; cases 2x2x4 ft., \$1.00; 2x2x6 ft., \$1.25; 2x2x8 ft., \$1.50; larger cases from \$1.75 to \$3.00. The following list of stock is all nursery grown, and all transplanted in last three seasons, except where noted; nearly all of it transplanted in 1901 and 1902. From this list 50 at the 100 rate, 5 at the 10 rate.

ORNAMENTAL TREES AND SHRUBS.

					Per 10	Per 100
50	Acer Pennsylvanicum	.	.	.	4 to 5 ft.	\$2.50
50	" platanoïdes, Norway Maple	.	.	.	8 to 9 ft.	3.00
50	" " Schwerdleri	.	.	.	3 to 4 ft.	2.50
100	" polymorphum, (type) Japanese Maple	.	.	.	24 in.	2.00
100	" " atropurpureum, Japanese Maple	.	.	.	18 to 24 in.	3.00
100	" Pseudo-platinus, Sycamore Maple	.	.	.	4 to 6 ft.	1.50
500	" saccharinum, Sugar Maple	.	.	.	4 to 5 ft.	1.25
50	" spicatum	.	.	.	5 to 6 ft.	2.50
200	" Tartaricum Giunalala	.	.	.	2 to 3 ft.	1.20
100	" "	.	.	.	3 to 4 ft.	1.50
50	Æsculus Hippocastaneum	.	.	.	4 to 5 ft.	2.50
100	" macrostachia, (Pavia macrostachia)	.	.	.	1 to 2 ft.	1.00
500	Alnus incana	.	.	.	2 to 3 ft.	.75
100	Amorpha fruticosa	.	.	.	4 to 5 ft.	1.00
50	Andromeda arborea	.	.	.	2 to 3 ft.	2.00
200	" Mariana	.	.	.	1 to 2 ft.	1.50
25	Aralia Spinosa	.	.	.	4 to 6 ft.	2.00
200	Azalea Mollis, strong, stocky	.	.	.	12 in.	3.00
200	" "	.	.	.	3 to 6 in.	1.00
1000	Baccharis halimifolia	.	.	.	2 to 4 ft.	.75
300	Berberis aquifolium	.	.	.	1 to 2 ft.	1.00
2000	" critica from seed bed	.	.	.	6 to 10 in.	.50
2000	" Sinensis, " "	.	.	.	6 to 10 in.	.50
1000	" Thunbergii	.	.	.	12 to 18 in.	1.00
2000	" " from seed bed	.	.	.	8 to 12 in.	.50
800	" vulgaris	.	.	.	12 to 18 in.	.40
1000	" " purpurea	.	.	.	3 to 4 ft.	.60
800	" " "	.	.	.	10 to 12 in.	.40
500	Betula alba	.	.	.	2 to 4 ft.	1.00
200	" lutea	.	.	.	4 to 5 ft.	1.50
100	" nigra	.	.	.	2 to 3 ft.	1.25
200	" papyrifera	.	.	.	5 to 7 ft	1.25
500	" "	.	.	.	2 to 3 ft.	1.00
100	" populifolia	.	.	.	5 to 6 ft.	1.25
500	" "	.	.	.	2 to 3 ft.	1.00
500	Caragana arborescens	.	.	.	3 to 4 ft.	1.00
200	Carya amara	.	.	.	1 ft.	.75
100	Castanea sativa, American Chestnut	.	.	.	4 to 5 ft.	2.50
500	Catalpa speciosa	.	.	.	3 to 4 ft.	1.00
1000	Ceanothus Americanus	.	.	.	2 ft.	1.00
50	Celtis occidentalis	.	.	.	2 to 4 ft.	2.00
50	Cephaelanthus occidentalis	.	.	.	3 to 4 ft.	1.00
500	Cercis Canadense	.	.	.	3 to 4 ft.	1.25
50	Chionanthus Virginica, White Fringe	.	.	.	2 to 3 ft.	2.00
500	Cladrastis tinctoria	.	.	.	3 to 4 ft.	1.50
1000	Clethra alnifolia	.	.	.	2 to 3 ft.	1.00
100	Cornus circinata	.	.	.	1 to 2 ft.	1.25
100	" florida	.	.	.	3 to 4 ft.	1.50
500	" "	.	.	.	1 to 2 ft.	.80
200	" Mas	.	.	.	1 to 2 ft.	1.25
						12.00

					Per 10	Per 100
300	Cornus Mas. var. from Japan	.	.	.	2 to 3 ft.	2.00 15.00
1000	" panniculata	.	.	.	2 to 3 ft.	1.00 8.00
200	" sanguinea	.	.	.	3 to 4 ft.	1.00 8.00
500	" sericea	.	.	.	4 to 5 ft.	1.25 10.00
1000	" stolonifera Siberica	.	.	.	2 to 3 ft.	1.25 10.00
200	Cotoneaster Simonsii	.	.	.	2 ft.	1.00 8.00
1500	Crataegus Crus-galli	.	.	.	1 to 2 ft.	.75 6.00
300	" mollis	.	.	.	1 to 2 ft.	.75 6.00
500	" seedlings, in 20 varieties	.	.	.	1 to 3 ft.	1.25 10.00
200	Cytisus scoparius, Scotch Broom	.	.	.	2 to 3 ft.	1.25 10.00
500	Deutzia gracilis	.	.	.	1 to 2 ft.	.75 5.00
300	" scabra, dble. rose	.	.	.	2 to 3 ft.	.75 6.00
300	" " white	.	.	.	2 to 3 ft.	.75 6.00
300	" Fortune's new white	.	.	.	2 to 3 ft.	.75 6.00
300	" " Pride of Rochester	.	.	.	2 to 3 ft.	.75 6.00
300	" " Wellsii	.	.	.	2 to 3 ft.	.75 6.00
500	" " in above varieties	.	.	.	4 to 5 ft.	1.25 10.00
200	Eleagnus hortensis, Bohemian Olive	.	.	.	5 to 6 ft.	2.00 15.00
500	" " "	.	.	.	3 to 4 ft.	1.25 10.00
500	" longipes (edulis)	.	.	.	2 ft.	1.00 8.00
100	Euonymous Americanus	.	.	.	2 to 3 ft.	1.25 10.00
50	" Europaeus	.	.	.	3 to 4 ft.	1.50 15.00
200	" Japonicus var. radicans	.	.	.	3 yr. from layers.	1.00 8.00
100	Fagus ferruginea	.	.	.	2 to 3 ft.	1.25 10.00
50	" sylvatica	.	.	.	5 to 6 ft.	3.00 25.00
25	" " purpurea, seedlings	.	.	.	5 to 6 ft.	4.00
25	" " " grafted	.	.	.	5 to 6 ft.	10.00
500	Forsythia Fortunei	.	.	.	12 to 24 in.	.80 7.00
1000	" suspensa	.	.	.	4 to 5 ft.	1.00 8.00
50	Fraxinus Americana, White Ash	.	.	.	7 to 9 ft.	2.50 20.00
100	" sambucifolia	.	.	.	1 ft.	.75 5.00
50	Ginkgo biloba	.	.	.	4 to 5 ft.	3.00 25.00
50	Gymnocladus Canadense	.	.	.	4 to 5 ft.	1.75 15.00
50	Halesia tetraptera	.	.	.	8 to 10 ft.	3.00 25.00
500	Hamamelis Virginiana	.	.	.	2 to 3 ft.	1.50 12.00
500	" extra good	.	.	.	1 to 2 ft.	1.00 8.00
200	Hibiscus Syriacus, Althea, dble, named	.	.	.	2 to 3 ft.	.80 7.00
100	" " " single, mixed80 7.00
1000	Hippophae rhamnoides	.	.	.	1 to 2 ft.	.75 6.00
200	Hydrangea panniculata	.	.	.	18 to 24 in.	1.00 8.00
500	" " grandiflora	.	.	.	2 to 3 ft.	2.00 15.00
500	" " " "	.	.	.	12 to 18 in.	1.00 8.00
150	Hypericum aureum	.	.	.	18 in.	2.00 15.00
200	" polyficum	.	.	.	2 ft.	1.00 8.00
100	Ilex glabia	.	.	.	1 to 2 ft.	1.50 12.00
2000	" verticillata, seed bed	.	.	.	1 to 3 in.	3.00
200	Juglans cinerea, butter-nut	.	.	.	2 ft.	1.25 10.00
200	Jasminium nudiflorum	.	.	.	10 to 18 in.	1.25 10.00
200	Kerria Japonica, single, yellow	.	.	.	1 to 2 ft.	1.00 8.00
100	" " variegata	.	.	.	1 to 2 ft.	1.00 8.00
100	Koelreuteria panniculata	.	.	.	2 to 3 ft.	1.25 10.00
500	Ligustrum Ibota	.	.	.	12 to 18 in.	.75 5.00
2000	" Japonicum, California Privet	.	.	.	2 to 3 ft.	.50 4.00
5000	" " " " 1 yr.	.	.	.	12 to 18 in.	.20 1.50
500	" media	.	.	.	4 to 8 in.	.50 4.00
1000	" vulgare	.	.	.	3 to 4 ft.	.50 4.00
1000	" " 1 yr.	.	.	.	1 to 2 ft.	.20 1.50
1000	" Reglianum	.	.	.	18 to 24 in.	.75 5.00
50	Liquidamber Styraciflua	.	.	.	3 to 4 ft.	2.50 20.00
200	Liriodendron Tulipifera, Tulip Tree	.	.	.	5 to 6 ft.	1.25 10.00
100	Lonicera Bella alvida	.	.	.	3 to 4 ft.	1.00 8.00
100	" " atrorosea	.	.	.	3 to 4 ft.	1.00 8.00
200	" " candida	.	.	.	4 to 5 ft.	.75 6.00
100	" " rosea	.	.	.	3 to 4 ft.	1.00 8.00
100	" Korolkowii	.	.	.	3 to 4 ft.	1.50 12.00
100	" Ruprectiana	.	.	.	3 to 4 ft.	1.25 10.00
25	Magnolia acuminata	.	.	.	4 to 5 ft.	2.00
25	" tripetala	.	.	.	8 to 10 ft.	2.50
200	Myrica asplenifolia	.	.	.	2 ft.	.75 6.00
500	" cerifera, fine	.	.	.	12 to 18 in.	.75 6.00
25	Nyssa sylvatica	.	.	.	2 to 3 ft.	3.00

					Per 10	Per 100
500	<i>Philadelphus coronarius</i>	.	.	.	3 to 4 ft.	.75 6.00
500	" <i>grandiflorus</i>	.	.	.	3 to 4 ft.	.75 6.00
200	<i>Physocarpus opulifolia</i>	.	.	.	3 to 4 ft.	1.00 8.00
300	<i>Platinus Americanus</i>	.	.	.	2 to 4 ft.	1.25 10.00
50	<i>Populus balsamifera</i>	.	.	.	8 to 9 ft.	1.50 12.00
200	" <i>monilifera</i> , Carolina Poplar	.	.	.	8 to 9 ft.	1.25 10.00
200	" <i>nigra</i>	.	.	.	10 to 12 ft.	1.25 10.00
200	" " var. <i>Italica</i> , Lombardy Poplar	.	.	.	9 to 10 ft.	1.25 10.00
300	" " "	.	.	.	5 to 6 ft.	.75 6.00
25	<i>Prunus Americana</i>	.	.	.	4 to 6 ft.	2.50
100	" <i>avium</i> , fl. pl. dble, flowering Cherry	.	.	.	4 ft.	3.00 25.00
400	" <i>cerasifera</i> , Myroloban Plum	.	.	.	2 to 3 ft.	.75 6.00
100	" <i>Japonica</i> , dble Almond, rose and white	.	.	.	18 in.	2.00 15.00
50	" <i>Pissardi</i>	.	.	.	5 to 6 ft.	2.00
200	" <i>pumila</i>	.	.	.	2 to 3 ft.	1.25 10.00
25	" <i>triloba</i>	.	.	.	4 to 5 ft.	2.00
100	<i>Pyrus arbutifolia</i> , red fruited	.	.	.	3 to 4 ft.	1.25 10.00
500	" <i>baccata</i> (seedlings)	.	.	.	2 to 3 ft.	.60 5.00
25	" <i>betulaefolia</i>	.	.	.	4 to 5 ft.	1.50
100	" <i>coronaria</i>	.	.	.	3 ft.	2.00 15.00
100	" <i>floribunda</i> , 1 yr.	.	.	.	2 to 3 ft.	1.25 10.00
100	" " <i>Parkmanii</i> , 1 yr.	.	.	.	2 to 3 ft.	1.25 10.00
1000	" <i>Japonica</i> , Japan Pear	.	.	.	3 to 4 ft.	.75 6.00
1000	" " "	.	.	.	1 to 2 ft.	.50 4.00
200	" <i>spectabile</i> fl. <i>alba</i> pl. and fl. <i>rosea</i> pl., 1 yr.,	.	.	.	2 to 3 ft.	1.25 10.00
1000	<i>Quercus coccinea</i> , from seed bed	.	.	.	8 to 12 in.	.40 3.00
200	" <i>palustris</i>	.	.	.	3 to 4 ft.	1.25 10.00
500	" "	.	.	.	2 to 3 ft.	1.00 8.00
200	" <i>rubra</i>	.	.	.	3 to 4 ft.	1.25 10.00
1000	" " from seed bed	.	.	.	2 to 3 ft.	.50 4.00
500	<i>Rhamnus catharticus</i>	.	.	.	3 to 4 ft.	.50 4.00
1000	" "	.	.	.	6 to 12 in.	.25 2.00
300	" <i>frangula</i>	.	.	.	1 to 2 ft.	.50 4.00
200	<i>Rhodotypos kerrioides</i>	.	.	.	3 to 4 ft.	1.00 8.00
50	<i>Rhus Canadense</i>	.	.	.	3 to 4 ft.	1.50
500	" <i>copallina</i>	.	.	.	1 to 3 ft.	.75 6.00
500	" <i>glabra</i>	.	.	.	2 to 3 ft.	.75 6.00
500	" <i>typhina</i>	.	.	.	2 to 3 ft.	1.00 8.00
200	<i>Ribes aureum</i>	.	.	.	2 to 3 ft.	.75 6.00
2000	<i>Rosa Carolina</i> (heavy)	.	.	.	3 ft.	.75 6.00
100	" <i>canina</i> (heavy)	.	.	.	3 to 4 ft.	.40 5.00
100	" <i>crimson rambler</i>	.	.	.	3 to 4 ft.	1.75 15.00
500	" <i>lucida</i>	.	.	.	1 to 2 ft.	.75 6.00
500	" " <i>alba</i>	.	.	.	1 ft.	3.00 25.00
500	" <i>multiflora</i>	.	.	.	1 to 2 ft.	.50 4.00
200	" <i>rubrifolia</i>	.	.	.	2 to 3 ft.	1.50 12.00
500	" <i>rubiginosa</i>	.	.	.	3 to 4 ft.	.75 6.00
1000	" " seed bed, small	.	.	.		1.00
300	" <i>rugosa</i>	.	.	.	2 to 3 ft.	1.25 10.00
200	" " <i>alba</i>	.	.	.	2 ft.	1.75 15.00
1000	" <i>setigera</i>	.	.	.	3 to 4 ft.	1.00 8.00
160	" <i>stylosa</i>	.	.	.	2 to 3 ft.	.60 5.00
200	" <i>tomentosa</i>	.	.	.	2 to 3 ft.	.60 5.00
100	" " <i>fœtida</i>	.	.	.	2 to 3 ft.	.60 5.00
300	" <i>Wichuriana</i>	.	.	.	2 to 3 ft.	1.25 10.00
200	" <i>Virginiana</i>	.	.	.	2 to 3 ft.	.60 5.00
200	<i>Salix alba</i>	.	.	.	4 to 6 ft.	.75 6.00
500	" " <i>vitellina</i> , var. from Russia	.	.	.	4 to 6 ft.	.75 6.00
200	" <i>Babylonica</i> , Napoleon Weeping Willow	.	.	.	8 to 10 ft.	1.00 9.00
200	" " var. <i>Wisconsin Weeping Willow</i>	.	.	.	8 to 10 ft.	1.00 9.00
50	" <i>myrtifolia</i>	.	.	.	3 to 4 ft.	1.50
500	" <i>pentandra</i> , Laurel-leaved Willow	.	.	.	3 to 4 ft.	.80 7.00
100	" <i>rosmarinifolia</i>	.	.	.	4 to 5 ft.	1.00 8.00
100	" <i>Solomon's Palm</i>	.	.	.	8 to 10 ft.	1.00 9.00
500	<i>Sambucus Canadense</i>	.	.	.	2 to 3 ft.	1.00 8.00
500	" " var. <i>aurea</i>	.	.	.	2 to 3 ft.	1.25 10.
50	" <i>racemosa</i>	.	.	.	4 to 6 ft.	1.50
25	<i>Sassafras officinale</i>	.	.	.	4 to 5 ft.	2.00
100	<i>Spiraea Anthony Waterer</i>	.	.	.	1 ft.	1.25 12.00
100	" <i>arguta multiflora</i>	.	.	.	2 to 3 ft.	1.25 12.00

			Per 10	Per 100
200	Spiraea Billardii	.	4 to 5 ft.	1.00 8.00
100	" Bumalda	.	2 to 3 ft.	1.25 10.00
60	" Cantonensis fl. pl. (Reevesiana)	.	3 ft.	1.25 10.00
100	" discolor, var. aerifolia	.	2 to 3 ft.	1.30 12.00
100	" Japonica (callosa) Fortune's red	.	2 to 3 ft.	1.00 8.00
100	" prunifolia fl. pl.	.	4 to 5 ft.	1.00 8.00
500	" Thunbergii	.	12 to 18 in.	.75 7.00
100	" tomentosa, pink	.	3 to 4 ft.	.75 7.00
500	" Van Houttei	.		1.25 10.00
50	Staphylea Colchica	.	3 ft.	1.50
25	Styrax Japonica	.	2 to 3 ft.	2.00
3000	Symporicarpus racemosa	.	2 to 3 ft.	.40 3.00
2000	" vulgaris	.	2 to 3 ft.	.50 4.00
100	Syringa Josikaea	.	18 to 24 in.	1.00 8.00
400	" Persica, in four varieties	.	3 to 4 ft.	1.75 15.00
200	" villosa	.	2 ft.	1.75 15.00
250	" vulgaris	.	3 ft.	1.25 10.00
250	" " alba	.	3 ft.	1.25 10.00
200	" " in twelve named varieties	.	1 ft.	2.00 15.00
200	Tilea Americana	.	4 to 6 ft.	1.00 8.00
25	" Argentea	.	5 to 6 ft.	3.00
500	" Europaea	.	2 to 3 ft.	.75 6.00
50	Ulmus Americana, stocky, selected	.	9 to 10 ft.	5.00
200	" "	.	9 to 10 ft.	3.00 25.00
200	" campestris	.	2 to 3 ft.	1.00 8.00
500	Viburnum cassinoides	.	12 to 15 in.	1.50 12.00
300	" dentatum	.	1 to 2 ft.	1.00 8.00
200	" Lantana	.	3 to 4 ft.	1.00 8.00
5000	" opulus from seed bed, small	.		1.00
200	" sterilis	.	2 to 3 ft.	1.25 10.00
50	" plicatum	.	2 ft.	2.00
200	" tomentosum	.	2 to 3 ft.	2.50 20.00
30	Xanthoceras sorbifolia	.	8 to 12 in.	3.00
500	Xanthorhiza apiifolia, single shoots	.		.75 5.00
200	Yucca filamentosa, strong	.		1.25 10.00

VINES AND CLIMBERS.

			Per 10	Per 100
50	Akebia quinata	.	1.50	
1000	Ampelopsis quinquifolia, strong,	.	.75	6.00
500	" Vetchii	.	1.25	10.00
500	Apios tuberosa	.	.50	4.00
300	Arctostaphylos Uva-Ursi, pot plants	.	1.25	10.00
500	Bignonia radicans, strong	.	.75	6.00
150	Celastrus scandens,	.	1 to 2 ft.	.75 6.00
50	" panniculata, strong,	.		1.25 10.00
500	" " from seed bed	.	6 to 10 in.	3.00
200	Clematis apiifolia, strong field grown	.		1.25 12.00
100	" coccinea, " " "	.		1.75 15.00
200	" panniculata from three-inch pots	.		1.25 10.00
100	" Virginiana	.		.75 6.00
200	Euonymous Japonicus var. radicans	.		1.00 8.00
50	Hedera helix (a hardy form) small plants	.		1.25 10.00
200	Lonicera Japonica, heavy,	.		.75 6.00
500	" " var. Halleana	.		1.25 10.00
100	Periploca Graeca	.	1 to 2 ft.	1.00 8.00
40	Wisteria Sinensis, strong	.		1.75 15.00
200	" frutescens, strong	.		.75 6.00
50	" multijuga, strong	.		2.50
50	" " alba, strong	.		3.00

COMMONWEALTH OF MASSACHUSETTS—STATE BOARD OF AGRICULTURE

Official Certificate No. 7.

Boston, August 27, 1902.

To WHOM IT MAY CONCERN:

This is to certify that I have this twenty-seventh day of August, 1902, completed the inspection of the nursery stock of Old Colony Nurseries, T. R. Watson, prop'r, grown at Plymouth, State of Massachusetts, and find it to be apparently free from the San José Scale and other injurious insects and diseases which might be transferred on nursery stock from the nursery to the orchard or garden.

This certificate is good until July 1, 1903.

(Signed) H. T. FERNALD, Inspector.